Answer Sheet No.	<del> </del>
Sig. of Invigilator	

# **OPERATION THEATRE TECHNIQUES HSSC-II**

SECTION - A (Marks 20)

Time allowed: 25 Minutes

Q. 1

NOTE: Section—A is compulsory and comprises pages 1-2. All parts of this section are to be answered on the question paper itself. It should be completed in the first 25 minutes and handed over to the Centre Superintendent. Deleting/overwriting is not allowed. Do not use lead pencil.

(i)	Nitro	us Oxide anaesthesia is given by		·	
	A.	Intravenous injections	B.	Endotracheal tube	
	C.	Face Mask	D.	Intra-muscular injections	
(ii)	Bougies are used for dilation of all, except				
	A.	Bile Duct	B.	Urethra	
	C.	Trachea	D.	Oesophagus	
(iii)	Which of the following is <b>NOT</b> a method of chemical sterilization?				
	A.	Ethylene Oxide gas	В.	Formaldehyde	
	C.	Ozone	D.	Steam	
(iv)	How will you recognize Arterial Haemorrhage?				
	A.	Slow and continuous blood flow		•	
	B.	Blood is dark red in colour			
	C. Blood is bright red and comes out in spurts				
	D.	None of these			
(v)	Thyroid Gland is present in				
	A.	Skull	В.	Neck	
	C.	Behind ears	D.	Brain	
(vi)	If a patient comes with pain in Right iliac fossa, the most likely cause is				
	A.	Cholecystitis	B.	Gastritis	
	C.	Cystitis	D.	Appendecitis	
(vii)	During kidney surgery which gland can be injured accidentally?				
	A.	Pituitary Gland	B.	Pancreas	
	C.	Adrenal Gland	D.	Thyroid Gland	
(viii)	Cysto	oscope is used for examination of			
	A.	Sigmoid colon	B.	Bladder	
	C.	Gall bladder	D.	Stomach	
(ix)	Sphygmomanometer is used for measurement of				
	A.	Blood pressure	B.	Air pressure	
	C.	Lungs pressure	D.	Central Venous pressure	
(x)	The most important method to control Haemorrhage from limb is				
	A.	Pressure	B.	Elevation	
	C.	Both A and B	D.	None of these	
(xi)	Which is the best fluid to replace blood loss?				
	A.	Ringer's Lactate	В.	Normal saline	
	С	Dextrose water	D.	Hemacel	

### DO NOT WRITE ANYTHING HERE

	•	Tota	l Marks: 20	
camine	er's use only:			
C.	Local anaesthesia should be given	D.	Technician must wear gloves	
A.	Patient should be shifted to O.T	B.	Patient should be kept nil by Mout	
What	t is the most important precaution while d	a wound in ward?		
C.	Gall Bladder stones	D.	Removal of kidney	
A.	Kidney stones	B.	Bladder stones	
Neph	nrolithotomy means	-		
C.	Shigella	D.	Staphylococci	
A.	Salmonella	B.	Streptococci	
Which organism can be transmitted by hands?				
C.	Towel clips	D.	Right Angle Retractors	
A.	Sponge-holding forceps	B.	Moris Retractor	
Which of the following instruments is <b>NOT</b> used in General surgery set?				
C.	Thyroidectomy	D.	Tonsillectomy	
A.	Laryngectomy	В.	Rhinoplasty	
Which is the commonest ENT surgery?				
C.	Diathermy machine	D.	$O_{\!2}$ cylinder	
A.	Flow meter	В.	Suction Apparatus	
Which of the following is <b>NOT</b> a part of Anaesthesia machine?				
C.	90 days	D.	60 days	
A.	4 days	В.	2 days	
Vicar	ryl sutures are absorbed in			
C.	Muscles	D.	All of these	
A.	Intestine	В.	Soft tissues	
Koch	ner's Forceps is used for holding			
C.	20 Fr	D.	None of these	
Α.	2 Fr `	В.	10 Fr	
	C. Koch A. C. Vicar A. C. Which A. C. What A. C.	C. 20 Fr Kocher's Forceps is used for holding	C. 20 Fr  Kocher's Forceps is used for holding  A. Intestine  C. Muscles  D. Vicaryl sutures are absorbed in  A. 4 days  C. 90 days  D. Which of the following is NOT a part of Anaesthesia m  A. Flow meter  B. C. Diathermy machine  D. Which is the commonest ENT surgery?  A. Laryngectomy  B. C. Thyroidectomy  D. Which of the following instruments is NOT used in Ge  A. Sponge-holding forceps  B. C. Towel clips  D. Which organism can be transmitted by hands?  A. Salmonella  C. Shigella  D. Nephrolithotomy means  A. Kidney stones  C. Gall Bladder stones  D. What is the most important precaution while dressing  A. Patient should be shifted to O.T  B. C. Local anaesthesia should be given  D. Staminer's use only:	

—— 2HA 1445 ——

Marks Obtained:



## **OPERATION THEATRE TECHNIQUES HSSC-II**

Time allowed: 2:35 Hours

Total Marks Sections B and C: 80

NOTE: Answer anv

Answer any ten parts from Section 'B' and any three questions from Section 'C' on the separately provided answer book. Use supplementary answer sheet i.e. Sheet-B if required. Write your answers neatly and legibly.

#### SECTION - B (Marks 50)

#### Q. 2 Answer any TEN parts. The answer to each part should not exceed 2 to 4 lines. (10 x 5 = 50)

- (i) Write down the names and functions of the parts of lower respiratory tract.
- (ii) What is the use of Nasogastric tube during General Anaesthesia?
- (iii) What is Hernia? Which are the instruments used during its surgery (Hernioplasty)?
- (iv) What are the preoperative investigations done before circumcision of a new-born baby?
- (v) What type of dressing is used for patient of Burns?
- (vi) What does POP stand for? Also give the method of its application.
- (vii) What is Cyanosis? List some possible causes during and after surgery.
- (viii) Name any five common ENT surgeries.
- (ix) What are pressure sores?
- (x) What is recovery position? Why is it indicated in unconscious casualty?
- (xi) What is Endoscope? Give its uses and method of sterilization.
- (xii) List the colour types of Intravenous canula and their use.
- (xiii) Name five instruments used in orthopaedic surgery and their use.

### SECTION - C (Marks 30)

## Note: Attempt any THREE questions. All questions carry equal marks. (3 x 10 = 30)

- Q. 3 Name the types of anaesthesia and their indication.
- **Q. 4** Give the position and anatomy of Gall Bladder. Discuss the types of surgical method for Cholecystectomy.
- **Q. 5** Discuss various types of "Scopes" and their uses.
- **Q. 6** What are Absorbable and Non-absorbable sutures? Also give their uses.
- **Q. 7** What is a Defibrillator? Give indication and method of use. Also give precautions during its use.