



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS  
General Certificate of Education  
Advanced Subsidiary Level and Advanced Level

**MATHEMATICS**

**9709/62**

Paper 6 Probability & Statistics 1 (S1)

**October/November 2012**

**1 hour 15 minutes**

Additional Materials: Answer Booklet/Paper  
Graph Paper  
List of Formulae (MF9)



**READ THESE INSTRUCTIONS FIRST**

If you have been given an Answer Booklet, follow the instructions on the front cover of the Booklet.

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams or graphs.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Answer **all** the questions.

Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place in the case of angles in degrees, unless a different level of accuracy is specified in the question.

The use of an electronic calculator is expected, where appropriate.

You are reminded of the need for clear presentation in your answers.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

The total number of marks for this paper is 50.

Questions carrying smaller numbers of marks are printed earlier in the paper, and questions carrying larger numbers of marks later in the paper.

This document consists of **3** printed pages and **1** blank page.



- 1** Fabio drinks coffee each morning. He chooses Americano, Cappuccino or Latte with probabilities 0.5, 0.3 and 0.2 respectively. If he chooses Americano he either drinks it immediately with probability 0.8, or leaves it to drink later. If he chooses Cappuccino he either drinks it immediately with probability 0.6, or leaves it to drink later. If he chooses Latte he either drinks it immediately with probability 0.1, or leaves it to drink later.

(i) Find the probability that Fabio chooses Americano and leaves it to drink later. [1]

(ii) Fabio drinks his coffee immediately. Find the probability that he chose Latte. [4]

- 2** The random variable  $X$  is the daily profit, in thousands of dollars, made by a company.  $X$  is normally distributed with mean 6.4 and standard deviation 5.2.

(i) Find the probability that, on a randomly chosen day, the company makes a profit between \$10 000 and \$12 000. [3]

(ii) Find the probability that the company makes a loss on exactly 1 of the next 4 consecutive days. [4]

- 3** The table summarises the times that 112 people took to travel to work on a particular day.

Time to travel to work ( $t$ minutes)	$0 < t \leq 10$	$10 < t \leq 15$	$15 < t \leq 20$	$20 < t \leq 25$	$25 < t \leq 40$	$40 < t \leq 60$
Frequency	19	12	28	22	18	13

(i) State which time interval in the table contains the median and which time interval contains the upper quartile. [2]

(ii) On graph paper, draw a histogram to represent the data. [4]

(iii) Calculate an estimate of the mean time to travel to work. [2]

- 4** The mean of a certain normally distributed variable is four times the standard deviation. The probability that a randomly chosen value is greater than 5 is 0.15.

(i) Find the mean and standard deviation. [4]

(ii) 200 values of the variable are chosen at random. Find the probability that at least 160 of these values are less than 5. [5]

- 5** (a) A team of 3 boys and 3 girls is to be chosen from a group of 12 boys and 9 girls to enter a competition. Tom and Henry are two of the boys in the group. Find the number of ways in which the team can be chosen if Tom and Henry are either both in the team or both not in the team. [3]

(b) The back row of a cinema has 12 seats, all of which are empty. A group of 8 people, including Mary and Frances, sit in this row. Find the number of different ways they can sit in these 12 seats if

(i) there are no restrictions, [1]

(ii) Mary and Frances do not sit in seats which are next to each other, [3]

(iii) all 8 people sit together with no empty seats between them. [3]

- 6 A fair tetrahedral die has four triangular faces, numbered 1, 2, 3 and 4. The score when this die is thrown is the number on the face that the die lands on. This die is thrown three times. The random variable  $X$  is the sum of the three scores.

(i) Show that  $P(X = 9) = \frac{10}{64}$ . [3]

(ii) Copy and complete the probability distribution table for  $X$ . [3]

$x$	3	4	5	6	7	8	9	10	11	12
$P(X = x)$	$\frac{1}{64}$	$\frac{3}{64}$			$\frac{12}{64}$					

(iii) Event  $R$  is 'the sum of the three scores is 9'. Event  $S$  is 'the product of the three scores is 16'. Determine whether events  $R$  and  $S$  are independent, showing your working. [5]

**BLANK PAGE**

---

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.